



Pathos: Passion, ancient Greek word denoting an intense and enduring emotion, the irresistible desire that tightly binds the soul
This desire stems from the need for transfer of limits and the perception of the world that surrounds it

## Our company

The company "Pathos Pro Spearfishing" was originally born from Angelos Michalopoulos desire to create an innovative speargun. It was based on an idea conceived in 1996 but also stemmed from his love for fishing and the sea

The manufacturer's family, since 1970, has been active in the wider market of marine equipment producing mainly swimming products, such as masks, fins, snorkels, etc

The first speargun was released in 2000, after having been tested by experienced spearfishermen
The most critical aspect of the gun and the point of superiority over others was the inverted trigger mechanism
The tests results proved to be spectacular and were further confirmed during the Champions League of Kassos in 2002
Dozens of world champions, that attended the competition

tested the new speargun and were impressed by the ergonomics of the anatomic handle as well as the gun's performance

After a stagnant period of speargun innovation

the Pathos technology became the catalyst for an evolution in speargun design
Soon after, Pathos and the Italian company Effesub initiated a successful collaboration
which yielded the sale of more than 12,000 spearguns, 5,000 handles
and countless related accessories in the European market mainly but also worldwide
Over the years the Pathos speargun has been steadily improving

The embedded driver for the shaft on the rigid pipe, the open muzzle, and the ergonomic handle which also evolved from the D'Angelo I to the D' Angelo II

make the weapon simpler and more functional. "Dead lengths" of the spearguns have been eliminated by 17 cm

The reverse trigger mechanism eliminated 7cm of useless space and another 10 cm

were removed by utilizing shorter shafts on guns with open muzzles

All Pathos spearguns are equipped with Sandvik stainless steel shafts

and floppers, a kind of material characterized by extraordinary hardness and memory

In 2006, Pathos proved to be a leading innovator in the spearfishing world once again

The goal was to develop a product that would improve a major piece of spearfishing equipment, the fin The introduction of new materials allowed for the construction of a foot pocket much lighter than the competitors

Combining the advanced technology of design with the power and flexibility of the Pathos foot pockets, any blades would perform at their highest level

The superiority of the Pathos foot pockets to other manufacturers was clearly evident upon usa

Today, our Company provide a full spearfishing product line such as Spearguns, wetsuits carbon fins, waterproof equipment bags, footpockets (6 colours), branded clothes, accessories and we have local distributors in 37 countries

Thanks to the high quality machinery owned by our company we are able to manufacture our catalogue products in Greece instead of outsourcing abroad!

Any product created in our facilities is manufactured with care in detail and, most importantly, with great passion
Thus, our passion embraces all those who love the sea and fishing with a single breath







Open

 cm
 50
 60
 75
 82
 90
 100
 110

 cod
 1
 2
 3
 4
 5
 6
 7





### ALMA

Designed for both entry level and advanced freedivers ,
most suitable for hunting around the reefs, and bottom diving
Handle D'Angelo I low profile with reverse trigger mechanism
that adds extra 7cm of arming length.

The ergonomic design gives the feeling that the speargun is an extension of your hand. Removable reinforced loading butt.

Driver sleeve and reel base.

Fully anodized aluminum barrel 1.25±0.05mm thick.
Closed muzzle for screw-on bands with position for a second band.
6.25mm Sandvik notched shaft with a single flopper and a tri-cut point.
17.5mm black over amber bands with plastic threads.

Articulate wishbone, short.

Also Available with open muzzle (for circular bands) Any one of the four Pathos reels can be installed





#### PATHOS PRO

The Pathos Pro Speargun is designed for new and experienced spearos who are looking for a lightweight and powerful tool a gun that shoots straight and is extremely maneuverable 6.5mm Sandvik notched shaft with a single flopper and a tri-cut point Open muzzle Carina for screw-on bands with position for a second band Handle D'Angelo I low profile with reverse trigger mechanism that adds extra 7 cm of aming length

The ergonomic design gives the feeking that the speargun is an extension of your hand Removable reinforced loading butt Reel base

19.0mm black over amber bands with plastic threads. Articulate wishbone, short Fully anodized aluminium barret 1,25±0.05mm thick with a shart guide and a sharkskin surface for reduction of turbulent vortices. Any one of the four Pathos reets can be installed.

#### Available length

cm	60	75	82	90	100	110	120
cod	8	9	10	11	12	13	14

### PATHOS 82 OFF

#### PATHOS OPEN

The Pathos Pro Speargun is designed for new and experienced spearos who are looking for a lightweight and powerful tool a gun that shoots straight and is extremely maneuverable 6.5mm Sandvik notched shaft with a single flopper and a thi-cut point. Open muzzle with position for a second band Handle D'Angelo I low profile with reverse trigger mechanism that adds extra 2 cm of arming length.

The ergonomic design gives the feeling that the speargun is an extension of your hand.

Removable reinforced loading butt

Reel base

19.0mm black over amber bands with plastic threads. Acticulate wishbone, short Fully anodized aluminium barrel 1.25±0.05mm thick with a shaft guide and a sharkskin surface for reduction of turbulent vortices. Any one of the four Pathos reels can be installed.

#### Available length

cm	60	.75	82	90	100	110
cod	741	742	743	744	745	746

### PATHOS 90 OPENDRO

#### PATHOS OPEN PRO

The Pathos Open Pro Speargun is designed for experienced spearos who pursue prey that require fast and powerful shots Characteristics

Handle D'Angelo I low profile with reverse trigger mechanism that adds extra 7 cm of arming length

The ergonomic design gives the feeling that the speargun is an extension of your hand Removable reinforced loading butt

Reel base


Fully anodized aluminium barrel 1.25±0.05mm thick with a shaft guide and a sharkskin surface for reduction of turbulent vortices Open muzzle for two bands

6.75mm Sandvik shaft with sharkfins, a single flopper, and a tri-cut point. Two 16mm black over amber bands.

Dyneema wishbones Any one of the four Pathos reels can be installed

11 CHECKING	in initia	1.500.01							
cm	60	75	82	90	100	110	120	130	140
cod	20	21	22	23	24	25	26	27	28







SARAGOS

The sensation of high accuracy and dominance in the water prevails when using this gun. It targets demanding spearos who aim for smooth and powerful shots

The new full stainless steel reverse trigger mechanism allows for quick release of the shaft due to an extremely short travel path (7mm) regardless of the load. They are mostly, suitable, for hunting around the reef and, for bottom, diving of sea breams, snappers or similar thanks to his small diameter shaft. Characteristics.

Handle D'Angelo II low profile with stainless steel reverse trigger mechanism that adds extra 7 cm of arming length Removable rubber loading butt

Reel base
Fully anodized aluminium barrel 1.25±0.05 mm thick with a shaft guide and a sharkskin surface for reduction of turbulent vortices
Open muzzle with position for a second band
6.25mmSandvik notched shaft with a single flopper and a tri-cut point,
17.5mm black over amber bands with plastic threads
Articulate wishbone, short

Any one of the four Pathos reels can be installed



cm	50	60	75	82	90	100
cod	753	754	755	756	757	758





### PATHOS SARAGOS

CARBO

#### Available length

	10.19				-		
cm	60	75	82	90	100	110	120
cod	775C	776C	778C	759	760	761	762

CARBON DRIVER COD 999



#### SARAGOS CARBON

The sensation of high accuracy and dominance in the water prevails when using this gun

It targets demanding spearos who aim for smooth and powerful shots.

The new full stainless steel reverse trigger mechanism allows for quick release of the shaft due to an extremely short travel path (7mm) regardless of the load

Characteristics

Handle D'Angelo II low profile with stainless steel reverse trigger mechanism that adds extra 7cm of arming length Removable rubber loading butt

carbon barrel 2.0mm thick with the option of adding a carbon shaft guide 100%.

Open muzzle

6.5mm Sandvik shaft with sharkfins, a single flopper, and a tricut point Two 16 mm amber bands Dyneema wishbones.

Any one of the four Pathos reels can be installed













The development of Pathos spearguns continues with the new series LASER\* that features the D'Angelo II handle\*

The sensation of high accuracy and dominance in the water prevails when using this gun it targets demanding spearos who aim for smooth and powerful shots. The new full stainless steel reverse trigger mechanism allows for quick release of the shaft due to an extremely short travel path (7mm) regardless of the load.

Characteristics
Handle D'Angelo II low profile with stainless steel reverse trigger mechanism that adds extra 7 cm of arming length
Removable rubber loading butt.

Reef base .

Fully anodized aluminium barret 1.25s.0.05 mm thick with a shaft guide .
and a sharkskin surface for reduction of turbulent vortices

Open muzzle Carina for screw-on bands with position for a second band .
6.5mm Sandvik notched shaft with a single flopper and a tri-cut point .
19.0mm black over amber bands with plastic threads

Articulate wishbone, short .

Any one of the four Pathos reels can be installed

#### Available length

cm:	60	75	82	90	100	110	120
cod	33	34	35	36	37	38	39

### LASER 90 ODED

#### LASER OPEN

Characteristics

Handle D'Angelo II low profile with stainless steel reverse trigger mechanism that adds extra 7 cm of arming length

Removable rubber loading butt Reel base

Fully anodized aluminium barrel 1.25±0.05 mm thick with a shaft guide, and a sharkskin surface for reduction of turbulent vortices.

Open muzzle with position for a second band 6.5mm Sandvik notched shaft with a single flopper and a tri-cut point 19.0mm black over amber bands with plastic threads.

Articulate wishbone, short.

Any one of the four Pathos reets can be installed.

#### Available length

reaction				1		1		
cm	50	60	75	82	90	100	110	120
cod	52	53	54	55	56	57	58	59

### LASER 110 OPPLETO

#### LASER OPEN PRO

Characteristics

Handle D'Angelo II low profile with stainless steel . reverse trigger mechanism that adds extra 7cm of arming length Removable nubber loading butt .

Reel base

Fully anodized aluminium barre( 1.25±0.05mm thick with a shaft guide and a sharkskin surface for reduction of turbulent vortices

Open muzzle:

6.75mm Sandvik shaft with sharkfins, a single flopper, and a tricut point .
Two 16mm black over amber bands .

Dyneema wishbones .

Any one of the four Pathos reels can be installed

cm	60	75	82	90	100	110	120	130	140
cod	60	61	62	63	64	65	66	67	68







### PATHOS M LASER

#### LASER CARBON COMPETITION

the development of Pathos spearguns continues with the new series "Laser" that features the D'Angelo II handle The sensation of high accuracy and dominance in the water prevails when using this gun It targets demanding spearos who aim for smooth and powerful shots. The new full stainless steel reverse trigger mechanism allows for quick release of the shaft due to an extremely short travel path (7mm) regardless of the load Characteristics

Handle D'Angelo II low profile with stainless steel reverse trigger mechanism that adds extra 7cm of arming length Removable rubber loading butt, universal handle

Reel base

carbon barrel 2.0mm thick with the option of adding a carbon shaft guide 100% Open muzzle for screw-on bands with position for a second band 6.25mm Sandvik shark fins. shaft with a single flopper and a tricut point 17.5mm black over amber bands with plastic threads Articulate wishbone, short Any one of the four Pathos reels can be installed

#### Available length

cm	60	75	82	90	100	110
cod	800	801	802	803	804	805

#### CARBON

#### LASER CARBON

#### Characteristics

Handle D'Angelo II low profile with stainless steel reverse trigger mechanism that adds extra 7cm of arming length Removable rubber loading butt Reel base

carbon barrel 2.0mm thick with the option of adding a carbon shaft guide 100% Open muzzle Carina for screw-on bands with position for a second band 6.5mm Sandvik notched shaft with a single flopper and a tricut point 19.0mm black over amber bands with plastic threads. Articulate wishbone, short Any one of the four Pathos reels can be installed

#### Available length

1 17,0111010	100 00111	2 ***			
cm	82	90	100	110	120
cod	47	48	49	50	52

CARBON DRIVER cop 999





### LASER OPEN CARBON

This series of spearguns are very attractive for the way, they perform on blue open water on pelagics, but also for big bottom fishes The sensation of high accuracy and dominance in the water prevails when using this gun It targets demanding spearos who aim for smooth and powerful shots The new full stainless steel reverse trigger mechanism allows for quick release of the shaft due to an extremely short travel path (7mm) regardless of the load Characteristics

Handle D'Angelo II low profile with stainless steel reverse trigger mechanism that adds extra 7cm of arming length. Removable rubber loading butt.

> Reet base. 100% carbon barrel 2.0mm thick with the option of adding a carbon shaft guide.

Open muzzle

7.0mm Sandvik shaft with sharkfins, a single flopper, and a tricut point.
 Two 17.5mm black over amber bands.

Dyneema wishbones.

Any one of the four Pathos reels can be installed.

cm			82				120	130	140
cod	775	776	778	69	70	71	72	777	1106



cm	55	65	75	82	90	100	110	120
cod	1000	1001	1002	1003	1004	1005	1006	1007







### SNIPER R

The Sniper R is the ROLLER version of the Sniper,
Handle D'Angelo 3 universal, aluminum barrel mild forming and enclose track
with floater Sepia Roller,
And Roller muzzle that fit rollers and Circular bands.
This Muzzle is very light and innovative.
The shaft is 7mm and 16mm TNT power bands.
This speargun allow very far shoots.

cm	55	65	75	85	95	105	115	125
cod	1017	1018	1019	1020	1021	1022	1023	1024







### SHAFTS

PATHOS Shafts are made with the best stainless steel of the market, the SANDVIK. They are also heat treated to increase the hardness and to avoid bending. shafts are manufactured using computer numeric machine (CNC)

we can divide our shafts in 3 groups:

NOTCHES SHARK FIN THREAD



In all exept thread we have 1flopper or 2 floppers available of 5 and 7 cm Pathos designed shark fin Tab, is smoot finished in order to be used with dynema wishbone.

we use 3 or 4 tabs where one can be used like rest tab. Also we have 3 kind of shark fins tabs, Small, Medium, and Large Medium and Large, can hold more than one power band with dynema wishbone. All Pathos shafts has tri-cut point



#### SHAFTS NOTCHES ONE WING

6,25mm from 80cm until 150cm 6.5mm from 105cm until 170cm 6,75mm from 120cm until 170cm 7mm from 120cm until 170cm



available ==== 6,5mm from 105cm until 170cm 6.75mm from 120cm until 170cm 7mm from 120cm until 170cm





### SHAFTS SHARKS SMALL ONE WING

6,25mm from 115cm until 150cm 6,5mm from 115cm until 170cm 6,75mm from 120cm until 170cm 7mm from 115cm until 170cm

### SHAFTS SHARKS MEDIUM ONE WING

6,5mm from 115cm until 170cm
6,75mm from 112cm until 170cm
7mm from 112cm until 170cm
7,25mm from 112cm until 170cm
7,5mm from 140cm until 170cm
8mm from 105cm until 180cm

#### SHAFT SHARK LARGE ONE WING

7mm from 112cm until 170cm 7,25mm from 140cm until 170cm 7,5mm from 140cm until 170cm 8mm from 150cm until 180cm

### SHAFTS SHARK SMALL 2 WINGS

6,5mm from 120cm until 170cm 6,75mm from 120cm until 170cm 7mm from 120cm until 170cm

### SHAFTS SHARKS MEDIUM 2 WINGS

available
6,5mm from 120cm until 170cm
6,75mm from 120cm until 170cm
7mm from 120cm until 170cm
7,25mm from 110cm until 170cm
7,5mm from 140cm until 170cm
8mm from 130cm until 180cm

#### SHAFTS SHARKS LARGE 2 WINGS

7mm from 120cm until 170cm 7,25mm from 140cm until 170cm 7,5mm from 140cm until 170cm 8mm from 150cm until 180cm







#### POWER BANDS 16mm -PLASTIC RACCORD Cp.

latex anaconda Black D 16 X 10 cm 334 lates anaconda Black D 16 X 12 cm 335 lates anaconda Black D 16 X 14 cm 336 latex anaconda Black D 16 X 16 cm 337 latex ariaconda Black D 16 X 18 cm 338 lates anaconda Black D 16 X 20 cm 339 lates anaconda Black D 16 X 22 cm 340 latex anaconda Black D 16 X 24 cm 341 latex anaconda Black D 16 X 26 cm 342 lates anaconda Black D 16 X 28 cm 343 latev anaconda Black D 16 X 30 cm 344 latex anaconda Black D 16 X 32 cm 345 latex anaconda Black D 16 X 34 cm 346lates anaconda Black D 16 X 35 cm 347



#### POWER BANDS 16mm CIRCULAR -PLASTIC RACC

latex anaconda Black D16 X 28 cm 348 latex anaconda Black D 16 X 30 cm 349 latex anaconda Black D 16 X 32 cm 350 latex anaconda Black D 16 X 34 cm 351 latex anaconda Black D 16 X 36 cm 352 latex anaconda Black D 16 X 38 cm 353 latex anaconda Black D 16 X 40 cm 354 latex anaconda Black D 16 X 42 cm 355 latex anaconda Black D 16 X 44 cm 356 latex arraconda Black D 16 X 46 cm 357 latex anaconda Black D 16 X 48 cm 358 latex anaconda Black D 16 X 50 cm 359 latex anaconda Black D 16 X 52 cm 360 latex arraconda Black D 16 X 54 cm 361 latex anaconda Black D 16 X 56 cm 362 latex anaconda Black D 16 X 58 cm 363 latex anaconda Black D 16 X 60 cm 364 latex arraconda Black D 16 X 62 pm 365 latex anaconda Black D 16 X 64 cm 366 latex anaconda Black D 16 X 66 cm 367 latex anaconda Black D 16 X 68 cm 368 latex araconda Black D 16 X 70 cm 369.



#### POWER BANDS 16mm CIRCULAR -DYNEMA LOOPS

latex anaconda Black D16 X 28 cm 370 lates anaconda Black D 16 X 30 cm 371. latex anaconda Black D 16 X 32 cm 372 latex anaconda Black D 16 X 34 cm 373 latex anaconda Black D 16 X 36 cm 374 latex anaconda Black D 16 X 38 cm 375 latex anaconda Black D 16 X 40 cm 376 latex anaconda Black D 16 X 42 cm 377 latex anaconda Black D 16 X 44 cm 378 lates anaconda Black D 16 X 46 cm 379 latex anaconda Black D 16 X 48 cm 380 latex anaconda Black D 16 X 50 cm 381 latex anaconda Black D 16 X 52 cm 382 lates anaconda Black D 16 X 54 cm 383. latex anaconda Black D 16 X 56 cm 384 latex anaconda Black D 16 X 58 cm 385 latex anaconda Black D 16 X 60 cm 386 lates anaconda Black D 16 X 62 cm 387 latex anaconda Black D 16 X 64 cm 388 latex anaconda Black D 16 X 66 cm 389 latex anaconda Black D 16 X 68 cm 390 lates anaconda Black D 16 x 70 cm 391

#### POWER BANDS SP & XP

Pathos power bands is made in America from the purest raw materials

XP Extra Power very strong and quick perfect for deep spearfishing cold waters and when extra power is needed.

(XP elongation 3-3,2)

SP Standard Power are the bands that we use in all the guns they are very special bands very progressive perfect for medium depth spearfishing and for medium warm waters

(SP elongation 3,4-3,7)



#### POWER BANDS 17,5mm -PLASTIC RACCORD Cp.

latex anaconda White/Black D17.5 X 10 cm 392 latex anaconda White/Black D17,5 X 12 cm 393 latex anaconda White/Black D17,5 X 14 cm 394 latex anaconda White/Black D17.5 X 15 cm 395 latex anaconda White/Black D17,5 X 16 cm 396 latex anaconda White/Black D17.5 X 17 cm 397 latex anaconda White/Black D17.5 X 18 cm 398 latex anaconda White/Black D17,5 X 19 cm 399 latex anaconda White/Black D17,5 X 20 cm 400 latex anaconda White/Black D17.5 X 21 cm 401 latex anaconda White/Black D17,5 X 22 cm 402 latex anaconda White/Black D17.5 X 23 cm 403 latex anaconda White/Black D17,5 X 24 cm 404 latex anaconda White/Black D17,5 X 25 cm 405 latex anaconda White/Black D17.5 X 26 cm 406 latex anaconda White/Black D17.5 X 27 cm 407 latex anaconda White/Black D17,5 X 28 cm 408 latex anaconda White/Black D17,5 X 29 cm 409 latex anaconda White/Black D17,5 X 30 cm 410 latex anaconda White/Black D17.5 X 31 cm 411 latex anaconda White/Black D17,5 X 32 cm 412 latex anaconda White/Black D17,5 X 33 cm 413 latex anaconda White/Black D17,5 X 34 cm 414 latex anaconda White/Black D17,5 X 35 cm 415 latex anaconda White/Black D17,5 X 36 cm 416



#### POWER BANDS 17,5mm CIRCULAR -PLASTIC RACC

latex anaconda White/Black D 17.5 X 28 cm 417 latex anaconda White/Black D 17.5 X 30 cm 418 latex anaconda White/Black D 17,5 X 32 cm 419 latex anaconda White/Black D 17,5 X 34 cm 420 latex anaconda White/Black D 17,5 X 36 cm 421 latex anaconda White/Black D 17.5 X 38 cm 422 latex anaconda White/Black D 17.5 X 40 cm 423 latex anaconda White/Black D 17,5 X 42 cm 424 latex anaconda White/Black D 17.5 X 44 cm 425 latex anaconda White/Black D 17.5 X 46 cm 426 latex anaconda White/Black D 17,5 X 48 cm 427 latex anaconda White/Black D 17.5 X 50 cm 428 latex anaconda White/Black D 17.5 X 52 cm 429 latex anaconda White/Black D 17.5 X 54 cm 430 latex anaconda White/Black D 17.5 X 56 cm 431 latex anaconda White/Black D 17.5 X 58 cm 432 latex anaconda White/Black D 17.5 X 60 cm 433 latex anaconda White/Black D 17.5 X 62 cm 434 latex anaconda White/Black D 17,5 X 64 cm 435 latex anaconda White/Black D 17,5 X 66 cm 436 latex anaconda White/Black D 17.5 X 68 cm 437 latex anaconda White/Black D 17.5 X 70 cm 438 latex anaconda White/Black D 17,5 X 72 cm 439 latex anaconda White/Black D 17,5 X 74 cm 440 latex anaconda White/Black D 17.5 X 76 cm 441 latex anaconda White/Black D 17.5 X 78 cm 442 latex anaconda White/Black D 17.5 x 80 cm 443



#### POWER BANDS 17,5mm CIRCULAR - DYNEMA LOOPS

latex anaconda White/Black D 17,5 X 28 cm 444 latex anaconda White/Black O 17,5 X 30 cm 445 latex anaconda White/Black D 17,5 X 32 cm 446 latex anaconda White/Black D 17.5 X 34 cm 447 latex anaconda White/Black D 17,5 X 36 cm 448 latex anaconda White/Black D 17,5 X 38 cm 449 latex anaconda White/Black D 17,5 X 40 cm 450 latex anaconda White/Black D 17,5 X 42 cm 451 latex anaconda White/Black D 17,5 X 44 cm 452 latex anaconda White/Black D 17,5 X 46 cm 453 latex anaconda White/Black D 17,5 X 48 cm 454 latex anaconda White/Black D 17,5 X 50 cm 455 latex anaconda White/Black D 17,5 X 52 cm 456 latex anaconda White/Black D 17,5 X 54 cm 457 latex anaconda White/Black D 17,5 X 56 cm 458 latex anaconda White/Black D 17,5 X 58 cm 459 latex anaconda White/Black D 17,5 X 60 cm 460 latex anaconda White/Black O 17,5 X 62 cm 461. latex anaconda White/Black D 17,5 X 64 cm 462 latex anaconda White/Black D 17.5 X 66 cm 463 latex anaconda White/Black D 17,5 X 68 cm 464 latex anaconda White/Black D 17,5 X 70 cm 465 latex anaconda White/Black D 17,5 X 72 cm 466 latex anaconda White/Black D 17,5 X 74 cm 467 latex anaconda White/Black D 17,5 X 76 cm 468 latex anaconda White/Black O 17.5 X 78 cm 469 latex anaconda White/Black D 17,5 X 80 cm 470



we provide screw-on bands in all size with plastic threads dynema whishbones



#### POWER BANDS 19mm -PLASTIC RACCORD Cp.

latex anaconda White/Black D 19 X 14 cm 471 tates anaconda White/Black D 19 X 15 cm 472 latex anaconda White/Black D 19 X 16 cm 473 lates anaconda White/Black D 19 X 17 cm 474 latex anaconda White/Black D 19 X 18 cm 475 latex anaconda White/Black D 19 X 19 cm 476 latex anaconda White/Black D 19 X 20 cm 477 latex anaconda White/Black D 19 X 21 cm 478 latex anaconda White/Black D 19 X 22 cm 479 tates anaconda White/Black D 19 X 23 cm 480 latex anaconda White/Black D 19 X 24 cm 481 latex anaconda White/Black D 19 X 25 cm 482 latex anaconda White/Black D 19 X 26 cm 483. latex anaconda White/Black D 19 X 27 cm 484 latex anaconda White/Black D 19 X 28 cm 485 lates anaconda White/Black D 19 X 29 cm 486 latex anaconda White/Black D-19 X-30 cm 487 tatex anaconda White/Black D 19 X 31 cm 488 latex anaconda White/Black D 19 X 32 cm 489 latex anaconda White/Black D 19 X 33 cm 490 latex anaconda White/Black D 19 X 34 cm 491 latex anaconda White/Black D 19 X 35 cm 492 latex anaconda White/Black D 19 X 36 cm 493



#### POWER BANDS 19mm CIRCULAR -PLASTIC RACC

latex anaconda White/Black D 19 X 28 cm 494 latex anaconda White/Black D 19 X 30 cm 495 later anaconda White/Black D 19 X 32 cm 496 latex anaconda White/Black D 19 X 34 cm 497 latex anaconda White/Black D 19 X 36 cm 498. latex anaconda White/Black D 19 X 38 cm 499 lates anaconda White/Black D 19 X 40 cm 500 latex anaconda White/Black D 19 X 42 cm 501 latex anaconda White/Black D 19 X 44 cm 502 latex anaconda White/Black D 19 X 46 cm 503 later anaconda White/Black D 19 X 48 cm 504 latex anaconda White/Black D 19 X 50 cm 505 latex anaconda White/Black D 19 X 52 cm 506 latex anaconda White/Black D 19 X 54 cm 507 lates anaconda White/Black D 19 X 55 cm 508 latex anaconda White/Black D 19 X 58 cm 509 latex anaconda White/Black D 19 X 60 cm 510 latex anaconda White/Black D 19 X 62 cm 511 later anaconda White/Black D 19 X 64 cm 512 latex anaconda White/Black D 19 X 66 cm 513 latex anaconda White/Black D 19 X 68 cm 514 latex anaconda White/Black D 19 X 70 cm 515 latev anaconda White/Black D 19 X 72 cm 516 latex anoconda White/Black D 19 X 74 cm 517 latex anaconda White/Black D 19 X 76 cm 518 latex anaconda White/Black D 19 X 78 cm 519 lates assoconda White/Black D 19 X 80 cm S20



#### POWER BANDS 19mm CIRCULAR -DYNEMA LOOPS

latex anaconda White/Black D 19 X 28 cm 521 latex anaconda White/Black D 19 X 30 cm 522 latex anaconda White/Black D 19 X 32 cm 523. latex anaconda White/Black D 19 X 34 cm 524 latex anaconda White/Black D 19 X 36 cm 525 latex anaconda White/Black D 19 X 38 cm 526 latex anaconda White/Black D 19 X 40 cm 527 latex anaconda White/Black D 19 X 42 cm 528. latex anaconda White/Black D 19 X 44 cm 529 latex anaconda White/Black D 19 X 46 cm 530 latex anaconda White/Black D 19 X 48 cm 531. latex anaconda White/Black D 19 X 50 cm 532 latex anaconda White/Black D 19 X 52 cm 533 latex anaconda White/Black D 19 X 54 cm 534 latex anaconda White/Black D 19 X 56 cm 535 latex anaconda White/Black D 19 X 58 cm 536 tatex anaconda White/Black D 19 X 60 cm 537 latex anaconda White/Black D 19 X 62 cm 538 latex anaconda White/Black D 19 X 64 cm 539 latex anaconda White/Black D 19 X 66 cm 540 tatex anaconda White/Black D 19 X 58 cm 541 latex anaconda White/Black D 19 X 70 cm 542 latex anaconda White/Black D 19 X 72 cm 543. latex anaconda White/Black D 19 X 74 cm 544 latex anaconda White/Black D 19 X 76 cm 545 latex anaconda White/Black D 19 X 78 cm 546 latex anaconda White/Black D 19 X 80 cm 547



#### TNT POWER BANDS BY THE METER

Int Dinamite 14mm 548R Tnt Dinamite 16mm 553R Tnt Dinamite 18mm 555R



#### TNT Dinamite

Very strong and quick perfect for deep spearfishing cold waters and when extra power is needed but also for multi bands guns.



#### RUBBERS ANACONDA SP BY THE METER

Latex Anaconda D 14.00 SP Black 548 Latex Anaconda D 16.00 SP Black 549 Latex Anaconda D 16.00 SP White 549L Latex Anaconda D 17.50 SP White/Black 550

Latex Anaconda D 19.00 SP White/Black 551



#### RUBBERS ANACONDA XP BY THE METER

Latex Anaconda D 14.00 XP Black 548A Latex Anaconda D 16.00 XP White 552 Latex Anaconda D 16.00 XP White/Black 553

Latex Anaconda D 17.50 XP White 554

Latex Anaconda D 17.50 XP White/Black 555

Latex Anaconda D 19.00 XP White/Black 556







ARTICULATED SHORT LASER (with plastic M14)





SIMPLE WIRE D2 LONG PLASTIC M14

SPRING LONG WITH WIRE D2 PLASTIC M14



ARTICULATED LONG LASER (with plastic M14)



ARTICULATED LONG WIRE D2 (with plastic M14)



WIRE D3 SANVIK (with plastic M14)



DYNEMA WITH BALLS D8



ARTICULATED SHORT LASER WITH BALLS



ARTICULATED SHORT WIRE D2 WITH BALLS





SIMPLE LONG WIRE D2 AND BALLS D8




ARTICULATED LONG LASER WITH BALLS



ARTICULATED LONG WIRE D2 WITH BALLS





The Special Shape of the plastic threads minimize turbulences during the shoot









REEL horizontal 50m cop 571 Capability of 50 m of 1,7mm rope. And easy release system for safety



REEL vertical 70m COD 573 Capability of 70 m of 1,7mm rope. And easy release system for safety



REEL horizontal 40m COD 572 Capability of 40 m of 1,7mm rope. And easy release system for safety



REEL vertical 50m cop 574

Capability of 50 m of 1,7mm rope.

And easy release system for safety



REELS

All the reels has screws and internal parts in stainless steel to make them very strong.

Made of the best nylon and fibreglass,

Thes reels have everything a spearo needs





### MED MASK

Spearfishing mask with low inner volume and great visibility. very confortable silicon. this model features a particular finish in the nose area to ease compensation.

MED mask COD 983



### MICRO MASK

Freediving and deep spearfishing mask, with very low inner volume and very good visibility. ultra soft silicon.

MICRO mask cop 982



#### MED SNORKEL

Snorkel in PVC and very confortable silicon.

MED snorkel COD 984



### SILICONE BELT WHITE

The Silicon belt is very elastic and resistent to sun light and salt water. this particolar color helpthe safety in deep use because the diver can be seen from surface.

SILICON BELT WHITE COD 980



### LATEX CAMU BELT

This Belt allow to be used with a lot of kg of lead, so it is suggested for winter spearfishing, also it has the right elasticity.

LATEX CAMU BELT COD 980

















## WET SUIT TEAM

Wet suit in neoprene
HEIWA SK, OPEN CELL / SMOOTH CELL
tailored by hand
In thickness 3mm, 5,5mm, 7mm,8mm
Is the best choice
for advanced spearfishers and freedivers.



	size	1	2	2long	3	3tong	4	5
3mm	cod	1128	1129	1130	1131	1132	1133	1134
C Emm	size	1	2	2iang	3	3long	4	5
5,5mm	cod	852	853	854	855	856	857	858
7	size	1	2	2tong	3	3tong	4	5
7mm	cod	1082	1083	1084	1085	1086	1087	1088
8mm	size	1	2	2iong	3	3long	4	5
omm	cod	859	860	861	862	863	864	865












### THIRA CAMU

Wet suit in neoprene Sheiko high density OPEN CELL Outer 100% Impermeaflex lamination ultra stretch , blind seal stiching, Protective knees, elbow and sternal arming protection in SUPRATEX Camuflage green color

1,5mm	size	S	M	L	Xr.	XXI.
1,5111111	cod	1008	1009	1010	1011	1012
2mm	size	S	М	L	XL	XXL
3mm	cod	1013	1014	1015	1016	1017
5mm	size	S	М	L	XL	XXL
Sillin	cod	1030	1031	1032	1033	1034
7	size	S	M	ι	XL	XXL
7mm	cod	1035	1036	1037	1038	1039







### THIRA

Wet suit in neoprene Sheiko high density OPEN CELL Outer 100% Impermeaflex lamination ultra stretch , blind seal stiching , Protective knees , elbow and sternal arming protection in SUPRATEX Black color



3mm	size	S	M	L	XL	XXL
Simil.	cod	1118	1119	1120	1121	1122

XXL 5mm 1025 1026 1027 1028 1029

XL


XXL

7mm cod 1123 1124 1125 1126 1127





THIRAS









SUPRATEX

3mm	size	S	M	L	XL	XXL
2111111	cod	1045	1046	1047	1048	1049

Gloves in neoprene 3mm open cell metalite, outer impermeaflex lamination ultra stretch camuflage With abrasion resistant SUPRATEX on palms.



### AMARA

1,5mm	size	S	M	L	XL	XXL
1,50000	cod	1051	1052	1053	1054	1055

1,5 mm Nylon coated camuflage Neoprene with AMARA Palms and Fingers Best choice for the hunter.





3mm	size	S	M	L	XL.	XXL
20000	cod	1061	1062	1063	1064	1065
5mm	size	\$	М	L	XL	XXI
Smin.	cod	1056	1057	1058	1059	1060

Socks in neoprene open cell metalite, in 3 and 5 outer impermeaflex lamination ultrastrech camouflage with abrasion resistant screen print on sole.



Gloves in neoprene 3mm open cell metalite, outer impermeaflex lamination ultra stretch camuflage With abrasion resistant screenprint on palms.











BAG GUN cop 807

GUN BAG Made from High resistantce black PVC.High resistance zip. 170cm



BAG 901 BLACK COD 815

Large waterproff 90l bag made of very High quality PVC black color. High resistance zip. 90cm lenght



Large waterproff bag 60 L made of very High quality PVC red color. High resistance zip. 60cm length.

BAG 60l RED cop 814



# T-SHIRTS

T-SHIRT BLUE SIZE S COD 1096
T-SHIRT BLUE SIZE M COD 1097
T-SHIRT BLUE SIZE L COD 1098
T-SHIRT BLUE SIZE XL COD 1099
T-SHIRT BLUE SIZE XXL COD 1100



### STICKERS



BIG STICKER 28CM cop 1106



SMALL STICKER 18CM cop 1107



#### **SWEATSHIRT**

SWEATSHIRT BLUE SIZE S COD 1101
SWEATSHIRT BLUE SIZE M COD 1102
SWEATSHIRT BLUE SIZE L COD 1103
SWEATSHIRT BLUE SIZE XL COD 1104
SWEATSHIRT BLUE SIZE XXL COD 1105

### SIZE-MEASUREMENTS WETSUIT



#### WETSUIT TEAM

SIZE	CHEST	WAIST	THIGH DIAMETER	ARM DIAMETER	HEIGHT	WEIGHT
1	98	78	51	30	165-170	65-70
2	102	82	54	32	170-175	70-75
2long	102	82	54	32	175-180	70-75
3	107	88	57	:34	175-180	80-85
3lang	107	88	57	34	180-185	80-85
4	112	92	60	36	180-185	90-95
5	116	96	63	38	185-195	100-110



WETSUIT THIRA



### KITS







KIT SNIPER ROLLER, Muzzle +floater cop 1081



FLOATERS FOR TUBES "SEPIA"

SEPIA circular tube d30 cop 1072

SEPIA SNIPER COD 1074







#### HOBBY

The Pathos Hobby speargun is a beginner's gun featuring the reverse trigger mechanism without a line release and the pathos aluminum barrel without a shaft guide.

The speargun comes with a 6,75mm notched threaded shaft and a single 16mm amber power band and a simple wire wishbone.

All components on Pathos spearguns are interchangeable making it extremely easy to upgrade later on.

cm	50	65	80
cod	73	74	75









ARTWORKS COPY

COPY PATHOS PRO SPEARFISHING PHOTO D.M.CLAUSS - www.clauss.it

George Polycrhoniou

George Kellis



### PATHOS PRO SPEARFISHING

www.pathossub.com

Tel. 0030 2106946450399 email: pathossub@gmail.com



